Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6040912".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 15:23
L2	0	"10784939".an.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 15:24
L3	0	"10784939".rlan.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 15:24
L4	3	"784939".rian.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 15:25
L5	5675	kadota.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 15:25
L6	5	I5 and "20040225".ad.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 15:25
S1 .	215	KANEKO-HISASHI KANEKO-HISASHI-C-O-FUJITSU-LI M KANEKO-HISASHI-C-O-INTELLECTU A KANEKO-HISASHI-C-O-INTELLECT- P	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 11:55
S2	10	OKAZAKI-MOTOYA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 11:56
S3	11	TOSHIMA-HIROYUKI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/11/30 11:57

S4	2	S1 and (S2 or S3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 11:57
S5	19	S4 or S2 or S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 11:58
S6	8	S5 and (pattern or structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:41
S7	116	S1 and (pattern or structure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2006/11/30 12:02
S8	45	S1 and (pattern or structure).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 12:02
S10	1	S8 and (geometrical).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 12:02
S11	2886	(via adj hole) with position	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:44
S12	6323	(layer with wiring) with (width or length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2006/11/30 13:46
S13	451	(wiring with patter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:42
S14	188	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:42

	1		<u></u>			
S15	3	S14 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR _.	ON	2006/11/30 13:44
S16	149	S14 and (value or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:44
S17	186	((via adj hole) with position) same (value or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/30 13:45
S20	799	((layer with wiring) with (width or length)) same (value or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:49
S21		S17 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:47
S22	225	((first or second or third) with (layer with wiring) with (width or length)) same (value or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:49
S23	58	((first or second or third) with (layer with wiring) with (width or length)) same (state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:01
S24	3	((first or second or third) with (layer with wiring) with (formation) with (width or length)) same (state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 13:50
S25	2	"7024524".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/11/30 16:25
S26	4756	((first or second or third) with layer) same ((wire or wiring) with (length or width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:26

						<u></u>
S27	2904	((first or second or third) with layer) with ((wire or wiring) with (length or width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:26
S28	614	((first or second or third) adj layer) with ((wire or wiring) with (length or width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:30
S29	127	((first or second or third) adj layer) with ((wire or wiring) adj (length or width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:27
S30	12	((first or second or third) adj layer) with ((wire or wiring) adj (length)) and ((first or second or third) adj layer) with ((wire or wiring) adj (width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:38
S31	2	((first or second or third) adj layer) with ((wire or wiring) adj (length)) same ((first or second or third) adj layer) with ((wire or wiring) adj (width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:27
S32	58	((first or second or third) adj layer) with ((wire or wiring) with (length)) same ((first or second or third) adj layer) with ((wire or wiring) with (width))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:38
S33	8	S32 and (hole with position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/11/30 16:33
S34	37	S32 and (value or parameter or state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:40
S35	9	S34 and table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:40
S36	2	S32 and (table with (value or parameter or state))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:52

S37	579	(layer and (wire or wiring) and (length or width)) same (table and (value or parameter or state))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/11/30 16:56
S38	145	(layer same (wire or wiring) same (length or width)) same (table same (value or parameter or state))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/30 16:57
S39	5	S38 and (hole with (position or location or placement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/01 15:22



Home | Login | Logout | Access Information | Ale

IN Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((floor <near/2> planning) or (floorplanning)) and states<in>metadata)" Your search matched 556 of 1432467 documents.

☑e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

View Session History

New Search

» Other Resources (Available For Purchase)

Top Book Results

Computer-Aided Design of Analog Integrated Circuits and Systems by Rutenbar, R. A.; Gielen, G. G. E.; Antao, Hardcover, Edition: 1

View All 1 Result(s)

» Key

Indicates full text access

IEEE JNL

IEEE Journal or Magazine

IEE JNL

IEE Journal or Magazine

IEEE CNF

IEEE Conference Proceeding

IEE CNF

IEE Conference Proceeding

IEEE STD

IEEE Standard

Modify Search

(((floor <near/2> planning) or (floorplanning)) and states<in>metadata)

Search: 3

Check to search only within this results set Display Format:

Citation

Citation & Abstract

view selected items

Select All Deselect All

View: 1-25 |;

1. Finite state vector quantization with multipath tree search strategy for image/video coding Chen-Yi Lee; Shih-Chou Juan; Yen-Juan Chao;

Circuits and Systems for Video Technology, IEEE Transactions on

Volume 6, Issue 3, June 1996 Page(s):287 - 294

Digital Object Identifier 10.1109/76.499837

Abstract | Full Text: PDF(1404 KB) | IEEE JNL

Rights and Permissions

Automatic state space decomposition for approximate FSM traversal based on circuit analy:

Hyunwoo Cho; Hachtel, G.D.; Macii, E.; Poncino, M.; Somenzi, F.;

Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on

Volume 15, Issue 12, Dec. 1996 Page(s):1451 - 1464

Digital Object Identifier 10.1109/43.552079

Abstract | Full Text: PDF(372 KB) | IEEE JNL

Rights and Permissions

3. State-based SHOSLIF for indoor visual navigation

Shaoyun Chen; Juyang Weng;

Neural Networks, IEEE Transactions on

Volume 11, Issue 6, Nov. 2000 Page(s):1300 - 1314

Digital Object Identifier 10.1109/72.883430

Abstract | Full Text: PDF(412 KB) | IEEE JNL

Rights and Permissions

4. A 2-Mb/s 256-state 10-mW rate-1/3 Viterbi decoder

Yun-Nan Chang; Suzuki, H.; Parhi, K.K.;

Solid-State Circuits, IEEE Journal of

Volume 35, Issue 6, June 2000 Page(s):826 - 834

Digital Object Identifier 10.1109/4.845186

Abstract | Full Text: PDF(400 KB) | IEEE JNL

Rights and Permissions

5. A methodology for the fast and testable implementation of state diagram specifications [log

Spaanenburg, L.; Smit, J.; van der Veen, H.;

Solid-State Circuits, IEEE Journal of

Volume 20, Issue 2, Apr 1985 Page(s):548 - 554

Abstract | Full Text: PDF(936 KB) | IEEE JNL

Rights and Permissions

6. State of the art in parallel search techniques for discrete optimization problems

Grama, A.; Kumar, V.;

Knowledge and Data Engineering, IEEE Transactions on

Volume 11, Issue 1, Jan.-Feb. 1999 Page(s):28 - 35

Digital Object Identifier 10.1109/69.755612

Abstract | Full Text: PDF(180 KB) | IEEE JNL

Rights and Permissions

7. Generalized multistate monotone coherent systems

Yu, K.; Koren, I.; Yuqing Guo;

Reliability, IEEE Transactions on

Volume 43, Issue 2, June 1994 Page(s):242 - 250

Digital Object Identifier 10.1109/24.295000

Abstract | Full Text: PDF(592 KB) | IEEE JNL

Rights and Permissions

8. The Arizona State University electrical engineering undergraduate open laboratory

Palais, J.C.; Javurek, C.G.;

Education, IEEE Transactions on

Volume 39, Issue 2, May 1996 Page(s):257 - 264

Digital Object Identifier 10.1109/13.502073

Abstract | Full Text: PDF(1116 KB) | IEEE JNL

Rights and Permissions

9. The quarter-state-sequence floorplan representation

Sakanushi, K.; Kajitani, Y.; Mehta, D.P.;

Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on [see also Circ

Regular Papers, IEEE Transactions on]

Volume 50, Issue 3, Mar 2003 Page(s):376 - 386

Digital Object Identifier 10.1109/TCSI.2003.809442

Abstract | Full Text: PDF(816 KB) | IEEE JNL

Rights and Permissions

10. Channel masking synthesis for efficient on-chip test compression

Chickermane, V.; Foutz, B.; Keller, B.;

Test Conference, 2004, Proceedings, ITC 2004, International

2004 Page(s):452 - 461

Digital Object Identifier 10.1109/TEST.2004.1386981

Abstract | Full Text: PDF(876 KB) | IEEE CNF

Rights and Permissions

11. A public-key watermarking technique for IP designs

Abdel-Hamid, A.T.; Tahar, S.; Aboulhamid, E.M.;

Design, Automation and Test in Europe, 2005, Proceedings

2005 Page(s):330 - 335 Vol. 1

Digital Object Identifier 10.1109/DATE.2005.32

Abstract | Full Text: PDF(176 KB) | IEEE CNF

Rights and Permissions

12. A scarce-state-transition Viterbi-decoder VLSI for bit error correction

Ishitani, T.; Tansho, K.; Miyahara, N.; Kubota, S.; Kato, S.;

Solid-State Circuits, IEEE Journal of

Volume 22, Issue 4, Aug 1987 Page(s):575 - 582

Abstract | Full Text: PDF(1088 KB) | IEEE JNL

Rights and Permissions

13. Self-checking self-repairing computer nodes using the Mirror Processor

Tamir, Y.;

Solid-State Circuits, IEEE Journal of

Volume 27, Issue 1, Jan. 1992 Page(s):4 - 16

Digital Object Identifier 10.1109/4.109553

Abstract | Full Text: PDF(1133 KB) | IEEE JNL

Rights and Permissions

14. Auditory displays in human-machine interfaces

Johannsen, G.;

Proceedings of the IEEE

Volume 92, Issue 4, Apr 2004 Page(s):742 - 758

Digital Object Identifier 10.1109/JPROC.2004.825905

Abstract | Full Text: PDF(728 KB) | Full Text: HTML | IEEE JNL

Rights and Permissions

15. Retiming finite state machines to control hardened data-paths

Auge, I.; Donnet, F.; Petrot, F.;

Integrated Circuits and Systems Design, 2003. SBCCI 2003, Proceedings, 16th Symposium on

8-11 Sept. 2003 Page(s):41 - 46

Abstract | Full Text: PDF(261 KB) | IEEE CNF

Rights and Permissions

16. Information filtering for mobile augmented reality

Julier, S.; Lanzagorta, M.; Baillot, Y.; Rosenblum, L.; Feiner, S.; Hollerer, T.; Sestito, S.;

Augmented Reality, 2000. (ISAR 2000). Proceedings, IEEE and ACM International Symposium on

5-6 Oct. 2000 Page(s):3 - 11

Digital Object Identifier 10.1109/ISAR.2000.880917

Abstract | Full Text: PDF(824 KB) | IEEE CNF

Rights and Permissions

17. Dynamic simulation model of Indoor wideband directional channels

Yifan Chen; Dubey, V.K.;

Vehicular Technology, IEEE Transactions on .

Volume 55, Issue 2, March 2006 Page(s):417 - 430

Digital Object Identifier 10.1109/TVT.2005.863414

Abstract | Full Text: PDF(792 KB) | IEEE JNL

Rights and Permissions

18. A digital adaptive beamforming QAM demodulator IC for high bit-rate wireless communicative

Jind-Yeh Lee; Huan-Chang Liu; Samueli, H.;

Solid-State Circuits, IEEE Journal of

Volume 33, Issue 3, March 1998 Page(s):367 - 377

Digital Object Identifier 10.1109/4.661202

Abstract | Full Text: PDF(216 KB) | IEEE JNL

Rights and Permissions

 Emerging multigligahertz digital and mixed-signal integrated circuits targeted for military app dependence on advanced electronic packaging to achieve full performance

Gilbert, B.K.; Degerstrom, M.J.; Zabinski, P.J.; Schafer, T.M.; Fokken, G.J.; Randall, B.A.; Schwab, Sommerfeldt, S.C.;

Proceedings of the IEEE

Volume 89, Issue 4, April 2001 Page(s):426 - 443

Digital Object Identifier 10.1109/5.920576

Abstract | Full Text: PDF(540 KB) | Full Text: HTML | IEEE JNL

Rights and Permissions

20. 2005 IEEE International Solid-State Circuits Conference (IEEE Cat. No. 05CH37636)

Doris, K.; Briaire, J.; Leenaerts, D.; Vertregt, M.; van Roermund, A.;

Solid-State Circuits Conference, 2005, Digest of Technical Papers, ISSCC, 2005 IEEE Internationa 6-10 Feb. 2005

Digital Object Identifier 10.1109/ISSCC.2005.1493896

Abstract | Full Text: PDF(801 KB) | Multimedia IEEE CNF Rights and Permissions

21. LOCADIO: Inferring motion and location from Wi-FI signal strengths

Krumm, J.; Horvitz, E.;

Mobile and Ubiquitous Systems: Networking and Services, 2004, MOBIQUITOUS 2004. The First / Conference on

22-26 Aug. 2004 Page(s):4 - 13

Digital Object Identifier 10.1109/MOBIQ.2004.1331705

Abstract | Full Text: PDF(4862 KB) IEEE CNF

Rights and Permissions

22. Technolsm: will the loss of freedom unleash the voice of dissent?

Davis, B.;

Technology and Society. 2003, Crime Prevention, Security and Design, ISTAS/CPTED 2003, ProceInternational Symposium on

2003 Page(s):19 - 24

Digital Object Identifier 10.1109/ISTAS.2004.1344603

Abstract | Full Text: PDF(297 KB) | IEEE CNF

Rights and Permissions

23. A neuro-chip with temporal learning: test results for signal/shape generation

Salam, F.M.;

Signals, Systems & Computers, 1997, Conference Record of the Thirty-First Asilomar Conference

Volume 2, 2-5 Nov. 1997 Page(s):1141 - 1145 vol.2

Digital Object Identifier 10.1109/ACSSC.1997.679083

Abstract | Full Text: PDF(420 KB) | IEEE CNF

Rights and Permissions

100

 A 56-mW 23-mm/sup 2/ single-chip 180-nm CMOS GPS receiver with 27.2-mW 4.1-mm/sup 2/ Gramegna, G.; Mattos, P.G.; Losi, M.; Das, S.; Franciotta, M.; Bellantone, N.G.; Vaiana, M.; Manda Solid-State Circuits. IEEE Journal of

Volume 41, Issue 3, March 2006 Page(s):540 - 551

Digital Object Identifier 10.1109/JSSC.2005.864136

Abstract | Full Text: PDF(1672 KB) | IEEE JNL

Rights and Permissions

25. A 3.3-V single-poly CMOS audio ADC delta-sigma modulator with 98-dB peak SINAD and 105

Fogelman, E.; Galton, I.; Huff, W.; Jensen, H.;

Solid-State Circuits, IEEE Journal of

Volume 35, Issue 3, March 2000 Page(s):297 - 307

Digital Object Identifier 10.1109/4.826811

Abstract | Full Text: PDF(336 KB) | IEEE JNL

Rights and Permissions

View: 1-25 |:

Help Contact Us Privad

Copyright 2006 IE

indexed by inspec*